


AURA MINI | AURA 3 | AURA 4



AURA MINI



* Specifications, dimensions, and prices are subject to change without notice

Aura speaker series has more them audio attributes, it literally lights up. Its name comes from the possibility to add dimmable light into its round shape, turning the speaker into a sconce if installed on wall or a light fixture if installation is on ceiling. It can also be installed outdoor.

The speaker has an extruded aluminum cabinet and is available in several finishes.

SPECIFICATIONS

Placement Options

On Ceiling | On Wall Indoor | Outdoor

Use Distributed Audio | Multichannel

Enclosure Aluminum, Sealed IP66

Recommended Amplifier

40W **Drivers**

3" Full Range

Impedance

80hms | 160hms

Frequency Response

120 - 20KHZ (-3dB) Sensitivity

91dB SPL 2.83V/1m


Lighting


Yes | PWM Dimmable | 12V | Warm and Natural White


Weight

2.51 lbs | 1.14 kg

DIMENSIONS







COLORS

ENCLOSURE

Brushed






GRILLE







AURA 3



Aura speaker series has more them audio attributes, it literally lights up. Its name comes from the possibility to add dimmable light into its round shape, turning the speaker into a sconce if installed on wall or a light fixture if installation is on ceiling. It can also be installed outdoor.

The speaker has an extruded aluminum cabinet and is available in several finishes.

SPECIFICATIONS

Placement Options
On Ceiling | On Wall Indoor | Outdoor

Distributed Audio | Multichannel

Enclosure

Aluminum, Sealed IP66

Recommended Amplifier

Drivers

3" Full Range

Impedance

80hms | 160hms

Frequency Response 100Hz - 20KHZ (-3dB)

Sensitivity

91dB SPL 2.83V/1m


Lighting

Yes | PWM Dimmable | 12V | Warm and Natural White

Weight

3.12 lbs | 1.42Kg

DIMENSIONS



COLORS

ENCLOSURE



GRILLE







AURA 4



Aura speaker series has more them audio attributes, it literally lights up. Its name comes from the possibility to add dimmable light into its round shape, turning the speaker into a sconce if installed on wall or a light fixture if installation is on ceiling. It can also be installed outdoor.

The speaker has an extruded aluminum cabinet and is available in several finishes.

SPECIFICATIONS

Placement Options
On Ceiling | On Wall Indoor | Outdoor

Distributed Audio | Multichannel

Enclosure

Aluminum, Sealed IP66

Recommended Amplifier

Drivers

4" Full Range

Impedance

80hms | 160hms

Frequency Response 90Hz - 20KHZ (-3dB)

Sensitivity

91dB SPL 2.83V/1m


Lighting

Yes | PWM Dimmable | 12V | Warm and Natural White

Weight

3.44 lbs | 1.56 Kg

DIMENSIONS



COLORS

ENCLOSURE





GRILLE







^{*} Specifications, dimensions, and prices are subject to change without notice